

light on your work

# X-MAST - LED

4X300W LED - 9M



# TRIME

Lighting Tower Specialist



## X-MAST-LED

4x300W LED- 9M

Strong and compact, with the possibility to power up more units in series, the X-MAST is the ideal product for people looking for a simple but effective solution able to guarantee 4500 sqm of illuminated area.

It is also the perfect product for a long term illumination of medium to large sized areas. 22 units can be loaded on a standard truck providing a significant saving on transport costs.



9m



445Kg



340°



4500 sqm



power

- Multi-directionally adjustable and tiltable floodlights
- 9meters vertical tower, 340° rotatable
- Manual lifting system by winch complete with auto-braking system
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 22 units per truck
- Sides lifting eyes
- top and sides forklift pockets for effective handling
- Guided main coiled cable to avoid damage during tower operation
- Circuit breaker for electrical protection against overload
- Certified wind stability up to 110 km/h
- 4 extendable & height adjustable stabilizers
- 230V inlet plug and outlet socket to connect in series more units

## APPLICATIONS



Gas, oil & mining operations



Special events



Rural & hard to reach areas




Emergency response




Construction & work sites



Military applications



Illuminated area  
**4500 sqm**



- Up to 10 units can be powered from a single source using a 32A plug & socket
- Up to 2 units can be powered from a single source using a 16A plug & socket




**22**  
Units Per Truck



**You can place 22 units on a single vehicle thanks to one of the compactest footprints on the market.**

## KEY BENEFITS

- ✓ *No fuel cost*
- ✓ *No carbon emission*
- ✓ *No maintenance*
- ✓ *No noise emissions*
- ✓ *22 units per truck*



LED TECHNOLOGY

SAFETY VERTICAL MAST

INLET PLUG & OUTLET SOCKET TO CONNECT IN SERIES MORE UNITS

SIDES LIFTING EYES

GALVANIZED BODY DURABLE ANTICORROSION PROTECTION

4 ADJUSTABLE STABILIZERS

DOUBLE SIZE FORKLIFT POCKET IN THE SIDE AND IN THE FRONT



technical data

Dimensions & weight		Input & output	
Dimensions min. (mm)	1100x1100x2650	Inlet plug	16A - 230V
Dimensions max. (mm)	2360x2360x9000	Outlet socket	16A - 230V
Total weight	445 Kg	Tower lifting method	
<b>Features</b>		Manual	
Rotation	340°		
Floodlights	4x300W		
Lamps	LED		
Options	Light sensor		

Standard load delivery


**22 sets**



Units Per Truck

Illuminated area (5 lux min.)

**4500 sqm**



Lighting Tower **Specialist**

**TRIME s.p.a.**

Strada per Robecco, snc  
 20081 Cassinetta di Lugagnano (MI) - Italy  
 Tel. +39 02 942 1724  
 www.trime.it - info@trime.it